In the Claims:

Please amend claims 21-30, as indicated below.

1. (Original) A method comprising:

a client reading an advertisement from a space, wherein the space comprises a network-addressable storage location, wherein the advertisement comprises a Uniform Resource Identifier (URI) and a schema, wherein the URI specifies a network address at which a service may be accessed, and wherein the schema specifies one or more messages usable to invoke one or more functions of the service; and

the client sending a first message to the service at the URI, wherein the first message is specified in the schema.

- 2. (Original) The method of claim 1, further comprising: the service sending a second message to the client in response to the client sending the first message to the service, wherein the second message is specified in the schema.
- 3. (Original) The method of claim 1, further comprising: invoking one or more functions of the service in response to the client sending the first message to the service.
- 4. (Original) The method of claim 1, wherein the schema is expressed in a data representation language.
- 5. (Original) The method of claim 1, wherein the first message is expressed in a data representation language.
- 6. (Original) The method of claim 5, wherein the data representation language comprises eXtensible Markup Language (XML).

- 7. (Original) The method of claim 1, wherein the URI comprises an Internet address.
- 8. (Original) The method of claim 1, further comprising: the service publishing the advertisement in the space.
- 9. (Original) The method of claim 1, further comprising: the client using a lookup service to find the advertisement in the space.
- 10. (Original) The method of claim 1, further comprising: the client using the URI and the schema in the advertisement to construct a gate for access to the service.
 - 11. (Original) A system comprising:

a client;

a service which is communicatively coupled to the client; and

a space which is communicatively coupled to the client, wherein the space comprises a network-addressable storage location, wherein the space stores an advertisement for the service, wherein the advertisement comprises a Uniform Resource Identifier (URI) and a schema, wherein the URI specifies a network address at which the service may be accessed, and wherein the schema specifies one or more messages usable to invoke one or more functions of the service;

wherein the client is operable to:

read the advertisement from a space; and

send a first message to the service at the URI, wherein the first message is specified in the schema.

- 12. (Original) The system of claim 11, wherein the service is operable to send a second message to the client in response to the first message, wherein the second message is specified in the schema.
- 13. (Original) The system of claim 11, wherein one or more functions of the service are invoked in response to the first message.
- 14. (Original) The system of claim 11, wherein the schema is expressed in a data representation language.
- 15. (Original) The system of claim 11, wherein the first message is expressed in a data representation language.
- 16. (Original) The system of claim 15, wherein the data representation language comprises eXtensible Markup Language (XML).
- 17. (Original) The system of claim 11, wherein the URI comprises an Internet address.
- 18. (Original) The system of claim 11, wherein the service is operable to publish the advertisement in the space.
- 19. (Original) The system of claim 11, wherein the client is operable to use a lookup service to find the advertisement in the space.
- 20. (Original) The system of claim 11, wherein the client is operable to use the URI and the schema in the advertisement to construct a gate for access to the service.

- 21. (Currently amended) A carrier computer-readable storage medium comprising program instructions, wherein the program instructions are computer-executable to implement:
 - a client reading an advertisement from a space, wherein the space comprises a network-addressable storage location, wherein the advertisement comprises a Uniform Resource Identifier (URI) and a schema, wherein the URI specifies a network address at which a service may be accessed, and wherein the schema specifies one or more messages usable to invoke one or more functions of the service; and
 - the client sending a first message to the service at the URI, wherein the first message is specified in the schema.
- 22. (Currently amended) The carrier computer-readable storage medium of claim 21, wherein the program instructions are further computer-executable to implement:
 - the service sending a second message to the client in response to the client sending the first message to the service, wherein the second message is specified in the schema.
- 23. (Currently amended) The earrier computer-readable storage medium of claim 21, wherein the program instructions are further computer-executable to implement: invoking one or more functions of the service in response to the client sending the first message to the service.
- 24. (Currently amended) The earrier computer-readable storage medium of claim 21, wherein the schema is expressed in a data representation language.

- 25. (Currently amended) The carrier computer-readable storage medium of claim 21, wherein the first message is expressed in a data representation language.
- 26. (Currently amended) The earrier computer-readable storage medium of claim 25, wherein the data representation language comprises eXtensible Markup Language (XML).
- 27. (Currently amended) The earrier computer-readable storage medium of claim 21, wherein the URI comprises an Internet address.
- 28. (Currently amended) The carrier <u>computer-readable storage</u> medium of claim 21, wherein the program instructions are further computer-executable to implement: the service publishing the advertisement in the space.
- 29. (Currently amended) The carrier <u>computer-readable storage</u> medium of claim 21, wherein the program instructions are further computer-executable to implement: the client using a lookup service to find the advertisement in the space.
- 30. (Currently amended) The earrier computer-readable storage medium of claim 21, wherein the program instructions are further computer-executable to implement: the client using the URI and the schema in the advertisement to construct a gate for access to the service.